Colorado Department of Agriculture



DIVISION OF PLANT INDUSTRY

RULES AND REGULATIONS

COLORADO SEED ACT

COLORADO DEPARTMENT OF AGRICULTURE

Division of Plant Industry 700 Kipling Street, Suite 4000 Lakewood, CO 80215-5894

Phone: (303) 239-4143

TABLE OF CONTENTS

STATE	MENT	OF BASIS AND PURPOSE
Part	1.	DEFINITION AND CONSTRUCTION OF TERMS
Part	2.	THE REGISTRATION SYSTEM
Part	3.	LABEL REQUIREMENTS FOR AGRICULTURAL, VEGETABLE, AND FLOWER SEEDS
Part	4.	LABELING KIND AND VARIETY OR TYPE AND PERFORMANCE CHARACTERISTICS OF FLOWER SEED
Part	5.	KINDS OF FLOWER SEEDS SUBJECT TO GERMINATION LABELING REQUIREMENTS AND GERMINATION STANDARDS FOR FLOWER SEEDS
Part	6.	LABEL REQUIREMENTS FOR TREE AND SHRUB SEEDS1
Part	7.	NOXIOUS WEED LIST1
Part	8.	GERMINATION STANDARDS1
Part	9.	STACKING AND LABELING OF SEED LOTS BY DEALERS2
Part	10.	THE SAMPLING OF SEED LOTS
Part	11.	ANALYSIS AND TESTING OF SEEDS
Part	12.	TOLERANCES
Part	13.	SALES OF DISEASE FREE SEED BEANS
Part	14.	INCORPORATION BY REFERENCE
Part	15.	RECORDS REQUIRED TO BE KEPT 2
Dart	16	DESTICINE TREATED ALEALEA SEED AND CLOVER SEED 2

RULES AND REGULATIONS

PERTAINING TO THE ADMINISTRATION AND ENFORCEMENT OF THE COLORADO SEED ACT

STATEMENT OF BASIS AND PURPOSE

The following rules are hereby promulgated under the authority of the Colorado Seed Act pursuant to 35-27-101 through 125, C.R.S., (1993 Supp. as amended by Senate Bill 93-17). These rules are required by the Colorado Seed Act, which was repealed and reenacted by the 1993 State Legislature.

They deal with definitions of certain terms used which are not defined in the Act; the requirements for registration of seed labelers, custom seed conditioners, and retail seed dealers, including the setting of registration fees; label requirements for agricultural, vegetable and flower seeds, including seed mixtures and combination mulch, seed and fertilizer products, performance characteristics of flower seed, and germination standards for flower seeds and for vegetable seeds; label requirements for tree and shrub seeds; the lists of prohibited and restricted noxious weed seeds; seed sampling requirements and procedures; analysis and testing of seeds; tolerances on seed label information; and requirements concerning sales of disease free seed beans.

These rules repeal 8CCR 1203-6, Parts I through VIII (sic IX) (April 1993), and new rules are adopted in total as follows:

Part 1. <u>DEFINITION AND CONSTRUCTION OF TERMS.</u>

- 1.1. As used in these rules, the singular includes the plural, the masculine gender includes the feminine and neuter, and vice versa. All terms used in these rules shall have the meaning set forth for such terms in the Act.
- 1.2. As used in these rules, unless the context otherwise requires:
- (a) "Agricultural seed" means: the seed of grass, forage, cereal, and fiber crops; and other kinds of seeds commonly recognized within this state as agricultural, field, or turf seeds; and mixtures of such seeds.
- (b) "Engaged in the business of conditioning seed" means: conditioning seed in Colorado in return for money or anything of value, including goods or services.
 - (c) "Engaged in the business of labeling seed means:

labeling seed for sale in Colorado in return for money or anything of value, including goods or services.

- (d) "Hybrid seed" means: the first generation seed of a cross produced by controlling the pollination and by combining (1) two or more inbred lines; (2) one inbred or a single cross with an open-pollinated variety; or (3) two varieties or species, except open-pollinated varieties of corn (Zea mays). The second generation and subsequent generations from such crosses shall not be regarded as hybrids. Hybrid designations shall be treated as variety names.
- (e) "Mixture" means: seed consisting of more than one kind, each in excess of five percent by weight of the whole.
- (f) "Produces seed for sale" means: producing seed for exchange in Colorado for money or anything of value, including goods or services.

(g) "Adulterated" refers to

- (1) Any seed whose purity deviates beyond the accepted tolerances from the professed purity stated on its labeling or under which it is sold; or
- (2) Any seed whose components or their relative proportions differ from those stated on its labeling; or
- (3) Any substance which has been substituted wholly or in part for a seed; or
- (4) Any seed from which any valuable constituent has been wholly or partly abstracted; or
- (5) Any seed in which any contaminant is present in an amount which is determined by the Commissioner to be a hazard.
- (h) The term "farmer seed labeler" is limited to those persons who label only the seed produced for sale in Colorado on property in Colorado owned or rented by such person or such person's employer. Any person who labels, in addition to seed produced for sale in Colorado on property in Colorado owned or rented by such person or such person's employer, other seed is a "seed labeler".

(i) The term "misbranded" shall apply:

(1) To any seed if its labeling bears any statement, design, or graphic representation relative thereto or to its ingredients which is false or misleading in any particular;

(2) To any seed:

(I)If it is an imitation of or is offered for sale under the name of another seed;

(II)If any word, statement, or other information required by this article or rules adopted under this article to appear on the labeling is not prominently placed thereon with such conspicuousness, as compared with other words, statements, designs, or graphic matter in the labeling, and in such terms as to render it likely to be read and understood by the ordinary individual under customary conditions of purchase and use;

Part 2. THE REGISTRATION SYSTEM.

- 2.1. Each applicant for a registration shall submit a signed, complete, accurate, and legible application, on a form provided by the Commissioner, which shall include, at a minimum: the name and address of the business, the name under which the business will operate (the doing business as name), the name of the person who is the primary contact, the address and telephone number of the location where the records are to be kept, and any other information required on the form.
- 2.2. In addition to the form approved by the commissioner, each applicant for a registration or applicant for renewal of a registration, shall submit the registration fee set by the commissioner. If the registration fee does not accompany the application, the application for registration or renewal of a registration may be denied.

2.3. (Repealed)

- 2.4. Each applicant shall submit to the Commissioner the name under which the business will operate. If the registrant operates under more than one name, each such name shall be listed with the Commissioner.
- 2.5. The annual registration fee for seed labelers shall be \$200.00.
- 2.6. The annual registration fee for custom seed conditioners shall be \$200.00.
- 2.7. The annual registration fee for farmer seed labelers shall be \$75.00.
- 2.8. The annual registration fee for retail seed dealers shall be \$25.00.

- 2.9. The annual registration fee for a second business location for seed labelers, custom seed conditioners, farmer labelers, and retail dealers shall be \$25.00.
- 2.10. Each applicant for renewal of a registration shall annually submit a signed, complete, accurate, and legible application on a form provided by the Commissioner, which shall include, at a minimum: the name and address of the business, the name of the person who is the primary contact, the address and telephone number of the location where the records are to be kept, and any other information required on the form.
- 2.11. A registrant who conducts business at two or more business locations shall obtain a registration for each location at which it employs one or more permanent employees engaged in the business for which the registrant is registered. For purposes of this paragraph, "business locations" means any physical location at or through which the functional operations of business regularly occur, including, but not limited to, financial transactions, arrangement of contracts, or assignment of work, and excluding buildings or locations used solely for storage of equipment or supplies or telephone answering services.

Part 3. <u>LABEL REQUIREMENTS FOR AGRICULTURAL</u>, <u>VEGETABLE</u>, <u>AND</u> FLOWER SEEDS.

Each container of agricultural, vegetable, and flower seeds which is sold, offered for sale, or exposed for sale, or transported within this State for sowing purposes shall bear thereon or have attached thereto in a conspicuous place a plainly written or printed label or tag in the English language, giving the following information, which statement shall not be modified or denied in the labeling or on another label attached to the container:

- 3.1. For all treated agricultural, vegetable, and flower seeds (for which a separate label may be used):
- (a) A word or statement indicating that the seed has been treated.
- (b) The commonly accepted coined, chemical or abbreviated chemical (generic) name of the applied substance or description of the process used.
- (c) If the substance in the amount present with the seed is harmful to human or other vertebrate animals, a caution statement such as "Do not use for food, feed, or oil purposes". The caution for mercurials and similarly toxic substances shall be a poison statement or symbol.

- (d) If the seed is treated with an inoculant, the date beyond which the inoculant is not to be considered effective (date of expiration).
- 3.2. For agricultural seeds, except for agricultural seed mixtures as provided in Part 3.3; and for hybrids which contain less than 95% hybrid seed as provided in Part 3.9:
- (a) The name of the kind or kind and variety for each agricultural seed component present in excess of 5 percent of the whole and the percentage of weight of each. If the variety of those kinds generally labeled as to variety is not stated, the label shall show the name of the kind and the words, "Variety Not Stated" or "VNS". Hybrids shall be labeled as hybrids.
 - (b)Lot number or other lot identification.
- (c) Origin (state or foreign country), if known, except of hybrid corn. If the origin is unknown, the fact shall be stated.
 - (d) Percentage by weight of all weed seeds.
- (e) The name and rate of occurrence per pound of each kind of restricted noxious weed seed present.
- (f) Percentage by weight of agricultural seeds (which may be designated as "crop seeds") other than those required to be named on the label.
 - (g) Percentage by weight of inert matter.
 - (h) For each named agricultural seed:
- (1) Percentage of germination, exclusive of hard or dormant seed,
- (2) Percentage of hard or dormant seeds, if present,
- $\,$ (3) The calendar month and year the test was completed to determine such percentages.
- (Following (1) and (2) above, the "total germination and hard or dormant seed" may be stated as such, if desired.)
- (i) Name and address of the person who labeled said seed, or who sells, offers or exposes said seed for sale within this State.
 - 3.3. For seed mixtures of agricultural seeds.

- (a) The word "mixed" or "mixture" shall be stated with the name of the mixture.
- (b) The heading "Pure Seed" and "Germination" or "Germ" shall be used in the proper places.
- (c) Commonly accepted name of kind or kind and variety of each agricultural seed component in excess of five percent of the whole, and the percentage by weight of each in order of its predominance and in columnar form. If the variety of those kinds generally labeled as to variety is not stated, the label shall show the name of the kind and the words "Variety Not Stated" or "VNS".
- (d) Percentage by weight of agricultural seed other than those required to be named on the label (which shall be designated as "crop seed").
- (e) Percentage by weight of inert matter. Except for coating material, fertilizer and mulch, as provided by Parts 3.4 and 3.10, foreign material not common to agricultural seed shall not be added to inert matter.
 - (f) Percentage by weight of all weed seeds.
- (g) The name and rate of occurrence per pound of each kind of restricted noxious weed seed present.
 - (h) For each agricultural seed named under (c) above:
- (1) Percentage of germination, exclusive of hard or dormant seed;
- (2) Percentage of hard or dormant seed, if present;
- (3) Calendar month and year the test was completed to determine such percentages. Oldest test date shall be used.
- (i) Name and address of the person who labeled said seed, or who sells, offers or exposes said seed for sale within the State.
 - (j) Lot number or other lot identification.
- (k) Origin (state or foreign country), if known, of each agricultural seed component. If the origin is unknown, the fact shall be stated.
 - 3.4 For agricultural seeds that are coated:

- (a) Percentage by weight of pure seeds with coating material removed.
 - (b) Percentage by weight of coating material.
- (c) Percentage by weight of inert material exclusive of coating material.
- (d) Percentage of germination is to be determined on 400 pellets with or without seeds.
- (e) In addition to the provisions of this section, labeling of coated seed shall comply with the requirements of Parts 3.1, 3.2, and 3.3.
- 3.5 For vegetable seeds in packets as prepared for use in home gardens or household plantings or vegetable seeds in preplanted containers, mats, tapes, or other planting devices:
 - (a) Name of kind and variety of seed.
- (b) Lot identification, such as by lot number or other means.
- (c) The year for which the seed was packed for sale as "Packed for _____ " or the percentage germination and the calendar month and year the test was completed to determine such percentage.
- (d) Name and address of the person who labeled said seed or who sells, offers, or exposes said seed for sale within this State.
- (e) For seeds which germinate less than the standard established by Part 8 of these rules:
- (1) Percentage of germination, exclusive of hard or dormant seed;
- (2) percentage of hard or dormant seed, if present,
- (3) The words "Below Standard" in not less than 8- point type.
- (f) For seeds placed in a germination medium, mat, tape, or other device in such a way as to make it difficult to determine the quantity of seed without removing the seeds from the medium, mat, tape or device, a statement to indicate the minimum number of seeds in the container.
- 3.6. For vegetable seeds in containers other than those prepared for use in home gardens or household plantings and other

than preplanted containers, mats, tapes, or other planting devices:

- (a) The name of each kind and variety present in excess of 5 percent and the percentage by weight of each in order of its predominance.
 - (b) Lot number or other lot identification.
 - (c) For each named vegetable seed:
- (1) Percentage germination exclusive of hard or dormant seed;
- (2) Percentage of hard or dormant seed, if present,
- (3) The calendar month and year the test was completed to determine such percentages.
- (4) Following (1) and (2) the "total germination and hard or dormant seed" may be stated as such, if desired.
- (d) Name and address of the person who labeled said seed, or who sells, offers or exposes said seed for sale within this State.
- (e) The labeling requirements for vegetable seeds in containers of more than one pound shall be deemed to have been met if the seed is weighed from a properly labeled container in the presence of the purchaser.
- 3.7. For flower seeds in containers prepared for use in home gardens or household plantings or flower seeds in preplanted containers, mats, tapes, or other planting devices:
 - (a) For all kinds of flower seeds:
- (1) The name of the kind and variety or a statement of type and performance characteristics as required by Part 4 of these rules;
- (2) The calendar month and year the seed was tested or the year for which the seed was packaged; and
- (3) The name and address of the person who labeled said seed, or who sells, offers, or exposes said seed for sale within this State.
- (b) For seeds of those kinds for which standard testing procedures are prescribed and which germinate less than the germination standard last established under the provisions of these rules:

- (1) Percentage of germination exclusive of hard or dormant seeds, and
- (2) The words "Below Standard" in not less than 8-point type.
- (c) For seeds placed in a germination medium, mat, tape, or other device in such a way as to make it difficult to determine the quantity of seed without removing the seeds from the medium, mat, tape, or device, a statement to indicate the minimum number of seeds in the container.
- 3.8 For flower seeds in containers other than those prepared for use in home flower gardens or household plantings and other than preplanted containers, mats, tapes, or other planting devices:
- (a) The name of the kind and variety or a statement of type and performance characteristics as required by Part 4 of these rules.
 - (b) The lot number or other lot identification;
- (c) The calendar month and year that the seed was tested;
- $\mbox{(d)}$ The name and address of the person who labeled said seed or who sells, offers, or exposes said seed for sale within this State, and
- (e) For those kinds of seed for which standard testing procedures are prescribed:
- (1) Percentage germination exclusive of hard or dormant seed, and,
- (2) Percentage of hard or dormant seed, if present,
- 3.9 For agricultural and vegetable hybrid seed which contain less than 95% hybrid seed:
 - (a) Kind or variety must be labeled as "hybrid".
- (b) The percent or range of percent which is hybrid shall be labeled parenthetically in direct association following named variety; i.e. Comet (85% Hybrid or 75% 85%).
- (c) Varieties in which the pure seed contain less than 75% hybrid seed shall not be labeled hybrids.
 - 3.10. For combination mulch, seed and fertilizer products:

- The word "combination" followed by the words "mulch - seed - fertilizer (if appropriate)" must appear on the upper 30% of the principal display panel. The word "combination" must be the largest and most conspicuous type on the container, equal to or larger than the product name. The words "mulch seed - fertilizer" shall be no smaller than one-half the size of the "combination" and in close proximity to the These products shall contain a minimum of 70% combination. The word "mulch" as used herein shall mean "a protective covering of any suitable substance placed with seed which acts to retain sufficient moisture to support seed germination and sustain early seedling growth and aid in the prevention of the evaporation of soil moisture, the control of weeds and the prevention of erosion."
- (b) Agricultural, lawn and turf seeds placed in a germination medium, mat, tape or other device or mixed with mulch shall be labeled as follows:
 - (1) Product name.
 - (2) Lot number.
- (3) Percentage by weight of pure seed of each kind and variety named which may be less than 5% of the whole.
 - (4) Percentage by weight of other crop seeds.
- (5) Percentage by weight of inert matter which shall not be less than 70%.
 - (6) Percentage by weight of weed seeds.
- (7) Name and number of noxious weed seeds per pound, if present.
- (8) Percentage of germination (and hard or dormant seed if appropriate) of each kind or kind and variety named and date of test.
 - (9) Name and address of labeler.
- (10) Origin (state or foreign country), if known, of each agricultural seed component. If the origin is unknown, the fact shall be stated.

Part 4. <u>LABELING KIND AND VARIETY OR TYPE AND PERFORMANCE</u> CHARACTERISTICS OF FLOWER SEED.

- 4.1. Flower seeds shall be labeled with the name of the kind and variety or a statement of type and performance characteristics. This requirement shall be met as follows:
- (a) For seeds of plants grown primarily for their blooms or ornamental value:
- (1) If the seeds are of a single named variety, the kind and variety shall be entered, for example -- "Marigold, Butterball".
- (2) If the seeds are of a single type and color for which there is no specific variety name, the type of plant (if significant), and the type and color of bloom shall be indicated, for example, "Scabiosa, Tall, large Flowered, Double, Pink".
- (3) If the seeds consist of an assortment or mixture of colors or varieties of a single kind, the kind name, the type of plant (if significant), and the type or types of bloom shall be indicated. In addition, it shall be clearly indicated that the seed is mixed or assorted. An example of labeling such a mixture or assortment is "Marigold, Dwarf Double French, Mixed Colors".
- (4) If the seeds consist of an assortment or mixture of kinds or kinds and varieties, it shall be clearly indicated that the seed is assorted or mixed and the specific use of the assortment or mixture shall be indicated, for example "Cut Flower Mixture", or "Rock Garden Mixture". Such statements as "Wild Flower Mixture", "General Purpose Mixture", "Wonder Mixture", or any other statement which fails to indicate the specific use of the seed shall not be considered as meeting the requirements of this provision unless the specific use of the mixture is also stated. The kind or kind and variety names in excess of 5.0% shall be listed in the order of their predominance giving the percentage by weight of each. Components of less than 5.0% shall be listed but need not be in order of predominance. A single percentage by weight shall be given for these components.
- (b) For seeds of plants grown for ornamental purposes other than their blooms, the kind and variety shall be stated, or the kind shall be stated together with a descriptive statement concerning the ornamental part of the plant, for example "Ornamental Gourds, Small Fruited, Mixed".

Part 5. <u>KINDS OF FLOWER SEEDS SUBJECT TO GERMINATION LABELING</u> REQUIREMENTS AND GERMINATION STANDARDS FOR FLOWER SEEDS.

5.1. The kinds of flowers seeds listed below are those for which standard testing procedures have been prescribed (except those kinds preceded by an asterisk) and which are required to be labeled in accordance with the germination labeling provisions of these rules. The percentage listed opposite each kind is the germination standard for that kind. The percentage germination is the total of percentage germination and percentage hard or dormant seed.

Kind	%
Achillea (yarrow) - <u>Achillea</u> spp	50
African Daisy (cape-marigold) - <u>Castalis</u> <u>traqus</u> (syn.	
Dimorphothica aurantiaca, D. sinuata)	55
African Violet - <u>Saintpaulia</u> spp	30
Ageratum - Ageratum houstonianum	60
Agrostemma (rose campion) - <u>Lychnis</u> <u>coronaria</u>	65
Alyssum - Alyssum spp., <u>Lobularia maritima</u>	60
Amaranth - Amaranthus spp	65
Anagallis (pimpernel) - <u>Anagallis</u> <u>arvensis</u> , <u>A.</u> <u>coerulia</u> ,	
A. grandiflora	60
Anemone - <u>Pulsatilla vulgaris</u>	55
Angel's Trumpet - <u>Burqmansia arborea</u>	60
Arabis (Rockcress) - <u>Arabis</u> <u>alpina</u>	60
Arctotis (African-lilac daisy) - <u>Arctotis</u> stoechadifolia var.	
Grandis	45
Armeria - Armeria spp	55
Asparagus, Fern - <u>Asparagus</u> <u>setaceus</u>	50
Asparagus, Sprenger - <u>Asparagus</u> <u>densiflorus</u> cv. Sprengeri .	55
Aster, China - <u>Callistephus</u> <u>chinensis</u> ; except Pompon,	33
Powderpuff and Princess types	55
Aster, China - <u>Callistephus</u> <u>chinensis</u> ; Pompon, Powderpuff and	55
Princess types	50
Aubrieta (purple rock cress) - <u>Aubrieta</u> <u>deltoidea</u>	45
*Baby Smilax - <u>Asparagus</u> <u>asparagoides</u>	25
Balsam - Impatiens balsamina	70
	60
Begonia (fibrous rooted) - <u>Begonia</u> spp	50
Begonia (tuberous rooted) - <u>Begonia</u> spp	
Bells-of-Ireland - Molucella laevis	60
Black-eyed-Susan - <u>Rudbeckia</u> <u>hirta</u>	60
Brachycome (swan river daisy) - <u>Brachycome</u> <u>iberidifolia</u>	60
Browallia - Browallia elata and B. speciosa	65
Bupthalmum (willowleaf oxeye) - Bupthalmum salicifolium	60
Calceolaria - Calceolaria spp	60
Calendula - Calendula officinalis	65
California-poppy - <u>Eschscholzia</u> <u>californica</u>	60

Campanula:	
Canterbury Bells - <u>Campanula</u> <u>medium</u>	60
Cup and Saucer Bellflower - <u>Campanula</u> <u>medium</u> cv.	
Calycanthema	60
Carpathian Bellflower - <u>Campanula</u> <u>carpatica</u>	50
Peach Bellflower - <u>Campanula</u> <u>persicifolia</u>	50
Candytuft, Annual - <u>Iberis amara</u> , <u>I</u> . <u>Umbellata</u>	65
Candytuft, Perennial - <u>Iberis gibraltarica, I. sempervirens</u> .	55
Castorbean - Ricinus communis	60
Cathedral Bells - <u>Cobaea</u> <u>scandens</u>	65
Celosia - <u>Celosia argentea</u>	65
Centaurea:	
Basket Flower - <u>Centaurea</u> <u>americana</u>	60
Cornflower (bachelor's button) - Centaurea cyanus	60
Dusty-miller - Centaurea cineraria	60
Royal Centaurea - <u>Centaurea</u> <u>imperialis</u>	60
Sweet Sultan - Amberboa moschata	60
Velvet Centaurea - Centaurea gymnocarpa	60
Cerastium (Snow-in-summer) - <u>Cerastium tomentosum</u>	65
*Chickweed, Tarus - <u>Cerastium biebersteinii</u>	65
Chinese Forget-me-not - <u>Cynoglossum</u> <u>amabile</u>	55
Chrysanthemum, Annual (not: painted daisy) - Chrysanthemum	<i>J</i> .
<u>Carinatum</u> Carinatum	40
Chrysanthemum, Garland - <u>Chrysanthemum</u> <u>coronarium</u>	4(
Cineraria - <u>Senecio</u> <u>cruentus</u>	60
	65
Clarkia - <u>Clarkia</u> <u>unquiculata</u>	65
Coleus - <u>Coleus blumei</u>	65
	5(
Columbine - Aquilegia spp	60
Coneflower, Purple - <u>Echinacea</u> <u>purpurea</u>	55
Coral Bells - <u>Heuchera sanquinea</u>	
Coreopsis, Lance-leaved (tickseed) - Coreopsis lanceolata	4(
Coreopsis, Plains (calliopsis) - <u>Coreopsis tinctoria</u> (syn. <u>C</u> .	
bicolor)65	
Corn, Ornamental - <u>Zea</u> <u>mays</u> subsp. <u>Mays</u>	75
Cosmos:	۰.
Sensation, Mammoth and Crested types - <u>Cosmos bipinnatus</u>	65
Klondyke type - Cosmos sulphureus	65
Crossandra - Crossandra infundibuliformis	50
Dahlia - Dahlia spp	55
*Daylily - Hemerocallis spp	45
Delphinium, Perennial:	
Cardinal Larkspur - Delphinum cardinale	55
Chinensis types, Belladonna types and hybrids - \underline{D} . \underline{elatum}	55
Dianthus:	
Carnation - <u>Dianthus</u> <u>caryophyllus</u>	60
China Pinks - <u>Dianthus</u> <u>chinensis</u>	70
Grass Pinks - <u>Dianthus</u> <u>plumarius</u>	60
Maiden Pinks - <u>Dianthus</u> <u>deltoides</u>	60
Sweet William - <u>Dianthus</u> <u>barbatus</u>	70
Sweet Wivelsfield - <u>Dianthus</u> X <u>allwoodi</u>	60
Didiscus (blue lace flower) - <u>Trachymene</u> <u>coerulea</u>	65
Doronicum (leopard's bane) - <u>Doronicum</u> <u>orientale</u>	60

Dracaena - <u>Cordyline</u> <u>australis</u>	55
*Dragon Tree - <u>Dracaena</u> <u>draco</u>	4(
English Daisy - <u>Bellis</u> <u>perennis</u>	55
Flax:	
Flowering Flax - Linum grandiflorum	60
Golden Flax - Linum flavum	60
Scarlet flax - Linum grandiflorum cv. Rubrum	60
Lewis flax (blue flax) - <u>Linum lewisii</u>	60
Perennial Flax (blue flax) - Linum perenne	60
*Flowering Maple - Abutilon spp	35
Foxglove - Digitalis spp	60
Gaillardia: (indian blanketflower, blanketflower, firewheel)	
Gaillardia, Annual - <u>Gaillardia</u> <u>pulchella</u>	45
Gaillardia, Perennial - <u>Gaillardia</u> <u>aristata</u>	45
Gerbera (transvaal daisy) - <u>Gerbera jamesonii</u>	60
Geum - Geum spp	55
Gilia - Gilia spp	65
Gloxinia - <u>Sinningia</u> speciosa	4(
Godetia - <u>Clarkia concinna</u>	65
Gourds:	
Yellow flowered - <u>Cucurbita pepo</u>	70
White flowered - <u>Lagenaria</u> <u>siceraria</u>	7(
Dishcloth Gourd (luffa sponge) - <u>Luffa aegyptiaca</u>	7(
Gypsophila:	
Annual Baby's-Breath - <u>Gypsophila elegans</u>	70
Perennial Baby's-Breath - <u>Gypsophila paniculata</u> , <u>G</u> .	, ,
<u>pacifica</u> , <u>G</u> . <u>repens</u>	70
Helenium - <u>Helenium</u> <u>autumnale</u>	4(
Helichrysum - <u>Helichrysum</u> <u>bracteatum</u>	60
Heliopsis - <u>Heliopsis</u> <u>helianthoides</u>	5.5
Heliotrope - <u>Heliotropium</u> spp	35
Helipterum (Acroclinium) - <u>Helipterum</u> roseum	60
Hesperis (sweet rocket, dame's rocket) - <u>Hesperis matronalis</u>	65
Hollyhock - Alcea rosea	65
Hunnemania (mexican tulip poppy) - <u>Hunnemania fumariifolia</u>	60
Hyacinth Bean - Lablab purpureus	70
Impatiens - Impatiens hostii, I. sultani	55
Ipomea:	
Cypress Vine - Ipomea quamoclit	75
Moonflower - <u>Ipomea</u> <u>alba</u>	75
Morning Glories, Cardinal Climber, Hearts and Honey	, ,
Vine - <u>Ipomea</u> spp	75
Jerusulem Cross (maltese cross) - <u>Lychnis chalcedonica</u>	7(
Job's Tears - Coix lacryma-jobi	70
Larkspur, Annual - <u>Consolida ajacis</u> (syn. <u>Delphinium ajacis</u> ,	, ,
D. ambiquum	60
Lantana - <u>Lantana camara</u>	35
Lilium (regal lily) - <u>Lilium regale</u>	5(
Linaria - <u>Linaria</u> spp	65
Lobelia, Annual - <u>Lobelia erinus</u>	65
Lunaria, Annual - <u>Lunaria annua</u>	65
Lupine - <u>Lupinus</u> spp	65
Marigold - <u>Tagetes</u> spp	65
	0.

Marvel of Peru (four-o'clock) - <u>Mirabilis</u> <u>jalapa</u>	60
Matricaria (feverfew) - <u>Tanacetum</u> parthenium	60
Mignonette - Reseda odorata	55
Myosotis (forget-me-not) - <u>Myosotis</u> <u>alpestris</u> , <u>M. sylvatica</u> ,	
M. scorpioides	50
Nasturtium - <u>Tropaeolum</u> spp	60
Nemesia - <u>Nemesia</u> spp	65
Nemophila (baby-blue-eyes) - <u>Nemophila</u> <u>menziesii</u>	70
Nemophila, Spotted (five-spot) - Nemophila maculata	60
Nicotiana - <u>Nicotiana</u> <u>alata, N</u> . X <u>sanderae, N</u> . <u>sylvestris</u>	65
Nierembergia - <u>Nierembergia</u> spp	55
Nigella (love-in-a-mist) - <u>Nigella</u> <u>damascena</u>	55
Ox-eye daisy - <u>Leucanthemum</u> <u>vulgare</u> (syn. <u>Chrysanthemum</u>	
<u>leucanthemum</u>)	60
Painted Daisy - Chrysanthemum coccineum	60
Pansy - <u>Viola tricolor</u>	60
Penstemon - Penstemon barbatus, P. grandiflorus, P. laevigatus	,
<u>P</u> . <u>hirsutus</u>	60
Petunia - <u>Petunia</u> spp	45
Phacelia - <u>Phacelia</u> <u>campanularia</u> , <u>P</u> . <u>minor</u> , <u>P</u> . <u>tanacetifolia</u>	65
Phlox, Annual - Phlox drummondii all types and varieties	55
Physalis (husk tomato, Chinese lanternplant) - Physalis spp.	60
Platycodon (balloon flower) - <u>Platycodon</u> <u>grandiflorus</u>	60
Plumbago, Cape - <u>Plumbago</u> <u>auriculata</u>	50
*Ponytail - <u>Beaucarnea</u> <u>recurvata</u>	40
Poppy:	
Shirley Poppy (corn poppy) - <u>Papaver</u> <u>rhoeas</u>	60
Iceland Poppy - <u>Papaver</u> <u>nudicaule</u>	60
Oriental Poppy - <u>Papaver</u> <u>orientale</u>	60
Tulip Poppy - <u>Papaver</u> <u>glaucum</u>	60
Portulaca (rose moss) - <u>Portulaca</u> <u>grandiflora</u>	55
Primula (primrose) - <u>Primula</u> spp	50
Pyrethrum (painted daisy) - Chrysanthemum coccineum	60
Salpiglossis - <u>Salpiglossis</u> <u>sinuata</u>	60
Salvia:	
Scarlet Sage - <u>Salvia</u> <u>splendens</u>	50
Mealycup Sage (blue bedder) - <u>Salvia</u> <u>farinacea</u>	50
Saponaria - <u>Saponaria</u> <u>ocymoides</u> , <u>Vaccaria</u> <u>hispanica</u>	60
Scabiosa: (pincushion flowers)	
Scabiosa, Annual (mourning-bride) - <u>Scabiosa</u> <u>atropurpurea</u>	
Scabiosa, Perennial - <u>Scabiosa</u> <u>caucasica</u>	40
Schizanthus (butterfly flower) - <u>Schizanthus</u> spp	60
Sensitive Plant (mimosa) - <u>Mimosa pudica</u>	65
Shasta Daisy - <u>Leucanthemum</u> X <u>superbum</u> , <u>L</u> . <u>vulgare</u>	65
Silk Oak - <u>Grevillea</u> <u>robusta</u>	25
Snapgragon - Antirrhinum spp	55
Solanum - <u>Solanum</u> spp	60
Statice - <u>Limonium sinuatum</u> , <u>Psylliostachys suworonii</u>	50
Stocks:	
Common - <u>Mathiola incana</u>	65
Evening Scented - <u>Mathiola logipetala</u> subsp. <u>bicornis</u>	65
Summer Cypress - <u>Kochia</u> scoparia cv. Trichophylla	55
Sunflower - Helianthus spp	70

sunrose - <u>Hellantnemum</u> spp	30
Sweet Pea:	
Annual (other than dwarf bush) - Lathyrus odoratus	75
Annual (dwarf bush) - L <u>athyrus</u> <u>odoratus</u>	65
Perennial - <u>Lathyrus</u> <u>latifolius</u>	75
Tahoka Daisy - <u>Machaeranthera</u> <u>tanacetifolia</u>	60
Thunbergia (black-eyed Susan vine) - Thunbergia alata	60
Torch Flower (Mexican sunflower) - <u>Tithonia</u> <u>rotundifolia</u>	70
Tritoma (red-hot-poker, poker plant) - <u>Kniphofia</u> spp	65
Verbena, Annual - <u>Verbena</u> X <u>hybrida</u>	35
Vinca - <u>Catharanthus</u> <u>roseus</u>	60
Torenia (wishbone flower) - <u>Torenia</u> <u>fournieri</u>	70
Viola (Johnny-jump-up) - <u>Viola</u> <u>cornuta</u>	55
Virginian Stocks - <u>Malcolmia</u> <u>maritima</u>	65
Wallflower - <u>Cheiranthus</u> <u>cheiri</u>	65
Yucca (Adam's needle) - <u>Yucca</u> <u>filamentosa</u>	50
Zinnia:	
Zinnia (except Creeping) - <u>Zinnia</u> <u>augustifolia, Z</u> .	
$\underline{\text{violacea}}$, $\underline{\text{Z}}$. $\underline{\text{grandiflora}}$, $\underline{\text{Z}}$. $\underline{\text{haageana}}$, $\underline{\text{Z}}$. $\underline{\text{peruviana}}$,	
<u>Z</u> . <u>acerosa</u>	65
Zinnia, Creeping - <u>Sanvitalia</u> <u>procumbens</u>	50
All other kinds	50

5.2. A mixture of kinds of flower seeds will be considered to be below standard if the germination of any kind or combination of kinds constituting 25 percent or more of the mixture by number is below standard for the kind or kinds involved.

Part 6. LABEL REQUIREMENTS FOR TREE AND SHRUB SEEDS.

Each container of tree and shrub seed which is sold, offered for sale, or exposed for sale, or transported within this State for sowing purposes shall bear thereon or have attached thereto in a conspicuous place a plainly written or printed label or tag in the English language, giving the following information, which statement shall not be modified or denied in the labeling or on another label attached to the container -- except that labeling of seed supplied under a contractual agreement may be by invoice accompanying the shipment or by analysis tag attached to said invoice if each bag or other container is clearly identified by a lot number stenciled on the container or if the seed is in bulk. Each bag or container that is not so identified must carry complete labeling.

6.1. For all tree and shrub seeds:

- (a) Common name of the species of seed (and subspecies, if appropriate).
- (b) The scientific name including the genus, species, and subspecies, (if appropriate).

- (c) Lot number or other lot identification.
- (d) Origin.
- (e) Purity as a percentage of pure seed by weight.
- (f) For all species the following:
- (1) Percentage germination exclusive of dormant or hard seed.
- (2) Percentage of dormant or hard seed, if present.
- (3) The calendar month and year test was completed to determine such percentages.
- (g) The name and address of the person who labeled said seed or who sells, or offers or exposes for sale, said seed within this State.

Part 7. NOXIOUS WEED LIST.

7.1. Prohibited (primary) noxious weeds:

```
Anoda, spurred (Anoda cristata)*
Bindweed, field (Convolvulus arvensis)
Bouncingbet (Saponaria officinalis)*
Camelthorn (Alhagi pseudalhagi)*
Chamomile, scentless (Anthemis arvensis)*
Cinquefoil, sulfur (Potentilla recta)*
Clematis, Chinese (Clematis orientalis)*
Daisy, oxeye (Chrysanthemum leucanthemum)*
Goatgrass, jointed (Aegilops cylindrica)
Halogeton (Halogeton glomeratus)
Horsenettle, Carolina (Solanum carolinense)
Horsenettle, white (Solanum elaeagnifolium)
Houndstonque (Cynoglossum officinale) *
Johnsongrass (<u>Sorghum halepense</u>)
Knapweed, black (Centaurea nigra)*
Knapweed, diffuse (Centaurea diffusa)
Knapweed, Russian (<u>Acroptilon repens</u>) (syn. <u>Centaurea repens</u>)
Knapweed, spotted (<u>Centaurea maculosa</u>)
Knapweed, squarrose (<u>Centaurea virgata</u>)
Loosestrife, purple (Lythrum salicaria) and (Lythrum virgatum)
Mallow, Venice (Hibiscus trionum)*
Medusahead (<u>Taeniatherum</u> <u>caput-medusae</u>)*
Millet, wild proso (Panicum miliaceum) subsp. ruderale)*
Nutsedge, yellow (Cyperus esculentus)*
Povertyweed, silverleaf (Ambrosia tomentosa) (syn. Fraseria
     (<u>disco</u>lor)
```

```
Povertyweed, woollyleaf (Ambrosia grayi) (syn.Franseria tomentosa)
Rocket, Dame's (Hesperis matronalis)+
Rue, African (Peganum harmala)*
Sage, Mediterranean (Salvia aethiopis)*
Saltcedar (<a href="Tamarix">Tamarix</a> parviflora) and (<a href="Tamarix">Tamarix</a> ramosissima)*
Skeletonweed, rush (Chondrilla juncea)*
Sorghum almum (Sorghum almum)
Sowthistle, perennial (Sonchus arvensis)
Spurge, cypress (Euphorbia cyparissias)*
Spurge, leafy (<u>Euphorbia</u> <u>esula</u>)
Spurge, myrtle (<u>Euphorbia myrsinites</u>)*
St. Johnswort, common (<a href="https://example.com"><u>Hypericum perforatum</u></a>)
Starthistle, yellow (<u>Centaurea</u> <u>solstitialis</u>)
Tarweed, coast (Madia sativa)*
Thistle, Canada (<u>Cirsium arvense</u>)
Thistle, musk (Carduus nutans)
Thistle, plumeless (<u>Carduus</u> <u>acanthoides</u>)
Thistle, Scotch (Onopordum acanthium) and (Onopordum tauricum)
Toadflax, dalmatian (<u>Linaria</u> <u>dalmatica</u>)
Toadflax, yellow (<u>Linaria</u> <u>vulgaris</u>)
Whitetop (Cardaria draba)
Whitetop, hairy (<u>Cardaria</u> <u>pubescens</u>)
Whitetop, tall (Lepidium latifolium)
Woad, Dyer's (Isatis tinctoria)
```

* These weeds are added to the prohibited (primary) noxious weed list effective January 1, 1999.

7.2 Restricted (secondary) noxious weeds

Effective January 1, 1999, the following limitations shall be imposed:

<u>Limitations</u>	<u> 1n</u>
seeds per po	und
Blueweed (<u>Helianthus</u> <u>ciliaris</u>)	200
Burdock, common (<u>Arctium minus</u>)**	200
Butterprint or velvet leaf (Abutilon theophrasti)	10
Dock, curly (<u>Rumex</u> <u>crispus</u>)	50
Dodder (<u>Cuscuta</u> spp.)	20
Foxtail, giant (<u>Setaria</u> <u>faberi</u>	50
Groundcherry, purple (<u>Quincula</u> <u>lobata</u>) (syn. <u>Physalis</u> <u>lobata</u>)	50
Hemlock poison (Conium maculatum)**	10
Henbane, black (<u>Hyoscyamus</u> <u>niger</u>)**	10
Lettuce, blue (Latuca tatarica subsp. pulchella) (syn. Latuca	
<u>Pulchella</u>)	200

⁺ Dame's rocket shall not be considered a prohibited (primary) noxious weed until January 1, 2001.

Mustard, black (<u>Brassica</u> <u>nigra</u>)	30
Mustard, India (<u>Brassica juncea</u>)	30
Mustard, wild (Sinapsis arvensis)	(syn. <u>Brassica kaber</u>) 30
Oat, wild (<u>Avena</u> <u>fatua</u>)	10 in barley, oats, wheat, rye
	and triticale
	100 in other seeds
Plantain, buckhorn (Plantago lance	<u>olata</u>) 100
Povertyweed, mouse-ear (<u>Iva axilla</u>	<u>ris</u>) 200
Puncturevine (<u>Tribulus</u> <u>terrestris</u>)	50
Quackgrass (<u>Elytrigia repens</u>) (syn	. <u>Agropyron repens</u>) 50
Sandbur, longspine (Cenchrus longs	<u>pinus</u>)** 50
Thistle, bull (<u>Cirsium vulgare</u>)**	10

No one lot of seed shall have more than five restricted weeds in the lot.

**These weeds are added to the restricted (secondary) noxious weed list effective January 1, 1999.

Part 8. <u>GERMINATION STANDARDS</u>.

8.1. The germination standards for vegetable seed in Colorado shall be as follows:

Artichoke	Cress, upland
Beans, garden	Dandelion 60
Bean, Lima	Dill 60
Bean, runner	Eggplant
Beet	Endive 70
Broadbean	Kale 75
Broccoli	Kale, Chinese
Brussel sprouts	Kale, Siberia
Burdock, great	Kohlrabi
Cabbage	Leek
Cabbage, tronchuda 70	Lettuce 80
Cardoon 60	Melon 75
Carrot 55	Mustard 75
Cauliflower	Mustard, spinach
Celeriac 55	Okra 50
Celery 55	Onion
Chard, Swiss65	Onion, Welsh 70
Chicory	Pak-Choi
Chinese cabbage	Parsley 60
Chives 50	Parsnip 60
Citron 65	Pea
Collards 80	Pepper 55
Corn, Sweet	Pumpkin
Cornsalad	Radish 75
Cowpea	Rhubarb 60
Cress, garden 75	Rutabaga 75

Sage	50
Salsify	75
Savory, summer	55
Sorrel 6	55
Soybean	75
Spinach	50
Spinach, New Zealand	1 0
Squash	75
Tomato	75
Tomato, husk	50
Turnip 8	30
Watermelon	70

Part 9. STACKING AND LABELING OF SEED LOTS BY DEALERS.

- 9.1. Seed subject to inspection under the Act shall be stored in such a manner as to permit access for proper sampling of each lot.
- 9.2. Any lot of seed in storage in, or consigned to, a seed cleaning or processing establishment for cleaning and processing, or for sale outside the state only and not offered for sale within the state, shall be plainly labeled showing the specific purpose for which it is held.

Part 10. THE SAMPLING OF SEED LOTS.

10.1. General Procedure:

- (a) In order to secure a representative sample, equal portions shall be taken from evenly distributed parts of the quantity of seed to be sampled. Access shall be had to all parts of that quantity.
- (b) For free-flowing seed in bags or bulk, a probe or trier, shall be used. For small free-flowing seed in bags a probe or trier long enough to sample all portions of the bag shall be used.
- (c) Nonfree-flowing seeds, such as certain grass seed, uncleaned seed, or screenings, difficult to sample with a probe or trier, shall be sampled by thrusting the hand into the bulk and withdrawing representative portions.
- (d) Composite samples shall be obtained to determine the quality of a lot of seed, such as the percentages of pure seed, other crop seed, weed seed, inert matter, noxious weed seed, germination, varietal purity, freedom from disease, and

effectiveness of seed treatment. Individual bag samples may be obtained to determine whether the seed is of uniform quality.

10.2. Sampling Equipment:

For sampling seeds in bags a trier long enough to reach all areas in the bag shall be used. The trier shall be so designed that it will remove an equal volume of seed from each part of the bag through which the trier travels. Unless the trier has partitions in the seed chamber it must be inserted into the bags horizontally. Nonfree-flowing seeds difficult to sample with a trier shall be sampled by thrusting the hand into the seed and removing representative portions. When a sample is taken with the hand, insert the hand flat and with the fingers together. Keep the fingers together as the hand is closed and withdrawn. Because of possible segregation, hand samples should be taken from various points in bags or in bulk.

10.3. Obtaining a "Submitted Sample":

(a) Seed in Bags:

- (1) When more than one core is drawn from a bag, follow different paths. When more than one handful is taken from a bag, take them from well separated points.
- (2) For lots of one to six bags, sample each bag and take a total of at least five cores or handfuls.
- (3) For lots of more than six bags, sample five bags plus at least 10% of the number of bags in the lot. Round numbers with decimals to the nearest whole number. Regardless of the lot size, it is not necessary to sample more than thirty bags.

Examples:

No. bags in lot 7 10 23 50 100 200 300 400 7 10 6 15 25 No. bags to sample 6 30 30

- (b) Bulk Seed: To obtain a composite sample, take at least as many cores or handfuls as if the same quantity of seedwere in bags of an ordinary size. Take the cores or handfuls from well distributed points throughout the bulk.
- (c) Seed in small containers: Seed in small containers shall be sampled by taking entire unopened containers in sufficient number to supply a minimum size sample as required in Part 10.4. The contents of a single container or the combined contents of multiple containers of the same lot shall be considered representative of the entire lot of seed sampled.

10.4. Size of Submitted Sample:

- (a) For the composite sample to test for quality. The following are minimum weights for samples of seed to be submitted for analysis, test or examination.
- (1) Two ounces (approximately 55 grams) of grass seed not otherwise mentioned, white or alsike clover, or seeds not larger than these.
- (2) Five ounces (approximately 150 grams) of red or crimson clover, alfalfa, lespedezas, ryegrasses, bromegrasses, millet, flax, rape, or seeds of similar size.
- (3) One pound of sudangrass, proso, or seeds of similar size.
- (4) Two pounds (approximately 1,000 grams) of cereals, vetches, sorghums, or seeds of similar or larger size.
- (5) Vegetable and ornamental seed samples shall consist of at least 800 seeds per sample. If a purity analysis or a noxious weed seed examination is required, the submitted sample shall provide at least the minimum weights of working samples set forth in Section 2.4, Table 1, found in Rules for Testing Seeds, Journal of Seed Technology, 16(3) 1993, last Revised 1996. (As to incorporation of materials see Part 14.)
- (6) Tree and shrub seed samples shall consist of at least 600 seeds per sample for germination purposes (1,000 seeds for paired tests). If a purity analysis or a noxious weed seed examination is required, the submitted sample shall provide at least the minimum weights of working samples set forth in Section 2.4, Table 1, found in Rules for Testing Seeds, Journal of Seed Technology, 16(3) 1993, last Revised 1996. (As to incorporation of materials see Part 14.)
 - (b) For individual bag samples to test for uniformity:
- (1) The size of any individual bag sample to determine uniformity in a lot of seed shall be not less than the quantities set out in the column "Minimum Weight for Noxious Weed Seed Examination" for the respective kinds of seed listed in Table 1, found in Rules for Testing Seeds, Journal of Seed Technology, 16(3) 1993, Revised 1994. (As to incorporation of materials see Part 14.)
- 10.5. Forwarding and Receipt of Official Samples: Before being forwarded to analysis, test, or examination the containers

of official samples shall be properly sealed, identified, initialed and dated.

Part 11. ANALYSIS AND TESTING OF SEEDS.

The methods of analyzing and testing seed samples shall be the same as prescribed in the Rules for Testing Seeds, Journal of Seed Technology, 16(3) 1993, last Revised 1996; Seed Evaluation Handbook, Contribution No. 35 (1992); and Uniform Classification of Weed and Crop Seeds, Contribution No. 25, last Revised 1996. (As to incorporation of materials see Part 14.)

Part 12. TOLERANCES.

Tolerances allows for the variation which may reasonably be expected in results obtained from different analyses or tests of the same lot of seed. It is for the protection of the labeler and shall not be used to show higher quality on the label than is indicated by the test.

Tolerances and methods of determination used in the enforcement of these rules shall be the same as prescribed in the Rules for Testing Seeds, Journal of Seed Technology, 16(3) 1993, last Revised 1996. (As to incorporation of materials see Part 14.)

Part 13. SALES OF DISEASE FREE SEED BEANS.

- 13.1 Any beans sold for seed in Mesa, Montrose or Delta County, or any beans sold in any other county intended for planting as seed in Mesa, Montrose or Delta County must be either:
- (a) Certified and labeled as such by an official seed certifying agency, or
- (b) Accompanied by a phytosanitary certificate issuedby a regulatory agency which states that the beans were field inspected during active growth and were apparently free of field exhibited symptoms of seed born diseases.
- 13.2. Any inspections done pursuant to the enforcement of this section of the seed law shall be paid for by the person selling such bean and shall be billed at actual cost for the inspection.

Part 14. INCORPORATION BY REFERENCE.

By these rules and regulations the Commissioner hereby incorporates by reference into these rules:

- (a) Rules for Testing Seed, Journal of Seed Technology, 16(3) 1993, last Revised 1996, published by the Association of Official Seed Analysts. This incorporation does not include any later amendments to or editions of the 1993 publication, last revised in 1996, of Rules for Testing Seed.
- (b) Seedling Evaluation Handbook, Contribution No. 35 (1992), published by the Association of Official Seed Analysts. This incorporation does not include any later amendments to or editions of the 1992 publication.
- (c) Uniform Classification of Weed and Crop Seeds, Contribution No. 25, last Revised 1996, published by the Association of Official Seed Analysts. This incorporation does not include any later amendments to or editions of Contribution No. 25, last Revised in 1996.

Certified copies of this incorporated material are available for public inspection during regular business hours. This incorporated material may be obtained or examined by contacting Section Chief, Plant and Insect Section, Division of Plant Industry, Colorado Department of Agriculture, 700 Kipling Street, Suite 4000, Lakewood, Colorado 80215-5894. Further, the incorporated material may be examined at any state publications depository library.

Part 15. RECORDS REQUIRED TO BE KEPT.

- 15.1. Each person whose name appears on a label on a seed container as a handler of the seed in such container shall keep records of the origin, sale, shipping, and disposition of such seed.
- 15.2. Each person acting as a custom seed conditioner shall keep records of the owner of the seed, kind and if known the variety, quantity, and date and place of cleaning for each lot of seed conditioned.

Part 16. PESTICIDE TREATED ALFALFA SEED AND CLOVER SEED.

- 16.1 The following provisions apply to alfalfa seed and clover seed resulting from crops treated with any pesticide registered under section 3 of the Federal Insecticide, Fungicide and Rodenticide Act which requires such rules as a condition of registration for use in alfalfa seed or clover seed production, or any pesticide registered under section 24(c) of the Federal Insecticide, Fungicide and Rodenticide Act which requires such rules as a condition of registration for use in alfalfa seed or clover seed production.
- 16.2 Every person engaged in the business of seed conditioning shall keep records of individual growers' alfalfa and clover seed dirt weight and clean weight for three (3) years and shall furnish such records to the Commissioner upon request.
- 16.3 All seed screenings shall be disposed of at a controlled dump site, incinerator, or other equivalent disposal site. Every person engaged in the business of seed conditioning shall keep records of seed screening disposal which records shall include the disposal site, method, weight of disposed screenings and date of disposal. Every person engaged in the business of seed conditioning shall keep seed screening disposal records for three (3) years and shall furnish such records to the Commissioner upon request.
- 16.4 All seed shall be conspicuously tagged or labeled with the following statement, "NOT FOR HUMAN CONSUMPTION OR ANIMAL FEED."
- 16.5 No seed tagged as set forth in 16.4 above shall be sold, offered for sale or distributed for human consumption or animal feed.